



TITLE:

Vol.11表紙・総目次・Record of Works for 1960

AUTHOR(S):

CITATION:

Vol.11表紙・総目次・Record of Works for 1960. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1963, 11(2)

ISSUE DATE:

1963-12-31

URL:


<http://hdl.handle.net/2433/175330>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XI



SIRAHAMA, WAKAYAMA-KEN, JAPAN

PUBLISHED BY THE LABORATORY

1963

CONTENTS

No. 1 (July 20, 1963)

1. Nagata, K.: Two New Gammaridean Amphipods (Crustacea) Collected by the Second Cruise of the Japanese Expedition of Deep Sea (JEDS-2).	1
2. Tanaka, O.: The Pelagic Copepods of the Izu Region, Middle Japan. Systematic Account IX. Families Centropagidae, Pseudodiaptomidae, Temoridae, Metriidae and Lucicutiidae.	7
3. Utinomi, H.: Studies on the Cirripedia Acrothoracica. IV. Morphology of the Female of <i>Balanodytes taiwanus</i> Utinomi.	57
4. Nishimura, S.: Observations on the Dealfish, <i>Trachipterus ishikawai</i> Jordan & Snyder, with Descriptions of its Parasites.	75
5. Tokioka, T.: A New Remarkable Synstyelid, <i>Polyandrocarpa</i> (<i>Eusynstyela</i>) <i>transversalis</i> n. sp., from Hawaii.	101
6. Pathansali, D. and T. Tokioka: A New Chaetognath, <i>Sagitta johorensis</i> n. sp., from Malay Waters.	105
7. Baba, K.: The Anatomy of <i>Cuthona futairo</i> n. sp. (= <i>C. bicolor</i> of Baba, 1933) (Nudibranchia-Eolidacea).	109
8. Tokioka, T. and D. Pathansali: Another New Chaetognath from Malay Waters, with a Proposal of Grouping Some Species of <i>Sagitta</i> into Subgenera.	119
9. Hamatani, I.: Notes on Veligers of Japanese Opisthobranchs (6).	125
10. Tokioka, T.: Contributions to Japanese Ascidian Fauna. XX. The Outline of Japanese Ascidian Fauna as Compared with That of the Pacific Coasts of North America.	131
11. Araga, Ch.: Young Forms of Three Damsel Fishes Belonging to the Genus <i>Tetradrachmum</i> Inhabiting Southern Parts of Japan.	157
12. Cruz, Armando A. de la: Observations on the Feeding Activity of the Isopod, <i>Idothea baltica</i> (Pallas).	165

No. 2 (December 31, 1963)

13. Murakami, S.: On Some Ophiurans from Kii and Vicinities with Description on a New Species.	171
14. Arakawa, K. Y.: Studies on the Molluscan Faeces (1).	185
15. Motoda, S.: <i>Corycaeus</i> and <i>Farranula</i> (Copepoda, Cyclopoida) in Hawaiian Waters.	209
16. Tomlinson, J. T.: Two New Acrothoracican Cirripeds from Japan.	263
17. Okuno, R.: Observations and Discussions on the Social Behaviors of Marine Fishes.	281
18. Baba, K. and I. Hamatani: A Short Account of the Species, <i>Tenellia pallida</i> (A. & H.), Taken from Mukaishima, Japan (Nudibranchia-Eolidoidea).	337

19. Baba, K. and I. Hamatani: A Cuthonid, <i>Cuthona alpha</i> n. sp., with a Radula of <i>Catriona</i> Type (Nudibranchia-Eolidioidea).	339
20. Imajima, M.: Polychaetous Annelids Collected off the West Coast of Kamchatka. II. Notes on Species Found in the Collection of 1959.	345
21. Tokioka, T.: Notes on <i>Cephalopyge trematoides</i> (Chun) Collected off the Central and Northern Chilean Coast (Nudibranchia: Phyllirhoidae). ...	373
22. Ghiselin, M. T.: On the Functional and Comparative Anatomy of <i>Runcina setoensis</i> Baba, an Opisthobranch Gastropod.	389
23. Baba, K. and I. Hamatani: Anatomy of <i>Embletonia gracilis paucipapillata</i> n. subsp., from Osaka Bay, Japan (Nudibranchia-Eolidioidea).	399
24. Shiino, S. M.: On <i>Trebius longicaudatus</i> Shiino (Copepoda: Caligoida) Found on the Fetus of <i>Squatina nebulosa</i> Regan.	403
25. Shiino, S. M.: Note on <i>Lepeophtheirus semicosyphi</i> Yamaguti (Copepoda: Caligoida).	409
26. Tokioka, T.: Supposed Effects of the Cold Weather of the Winter 1962-63 upon the Intertidal Fauna in the Vicinity of Seto.	415
27. Tokioka, T. and E. Harada: Further Notes on <i>Phyllosoma utivaebi</i> Tokioka.	425
Record of Works Done at the Seto Marine Biological Laboratory (Published in 1960).	435

PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY

Volume I

- No. 1 (Article 1) issued on May 31, 1949; reprinted on November 20, 1959.
No. 2 (Article 2 to 4) issued on December 25, 1949.
No. 3 (Article 5 to 9) issued on October 5, 1950.
No. 4 (Article 10 to 14) issued on May 31, 1951.

Volume II

- No. 1 (Article 1 to 2)...issued on October 20, 1951; reprinted on November 20, 1959.
No. 2 (Article 3 to 21 and record of works between 1922 and 1951)
(Jubilee number) issued on October 5, 1952.

Volume III

- No. 1 (Article 1 to 8) issued on July 30, 1953.
No. 2 (Article 9 to 21 and record of works for 1952)...issued on December 20, 1953.
No. 3 (Article 22 to 32) issued on May 30, 1954.

Volume IV

- No. 1 (Article 1 to 14 and record of works for 1953)...issued on November 20, 1954.
No. 2 & 3 (Article 15 to 35) issued on May 30, 1955.

Volume V

- No. 1 (Article 1 to 7) issued on December 20, 1955.
No. 2 (Article 8 to 18 and record of works for 1954).....issued on June 30, 1956.
No. 3 (Article 19 to 24) issued on December 20, 1956.

Volume VI

- No. 1 (Article 1 to 7 and record of works for 1955) issued on June 30, 1957.
No. 2 (Article 8 to 14) issued on December 25, 1957.
No. 3 (Article 15 to 20) issued on June 20, 1958.

Volume VII

- No. 1 (Article 1 to 8 and record of works for 1956)...issued on December 20, 1958.
No. 2 (Article 9 to 16).....issued on May 30, 1959.
No. 3 (Article 17 to 26) issued on December 20, 1959.

Volume VIII

- No. 1 (Article 1 to 17) issued on May 30, 1960.
No. 2 (Article 18 to 29 and record of works for 1957)...issued on December 20, 1960.

Volume IX

- No. 1 (Article 1 to 12).....issued on May 30, 1961.
No. 2 (Article 13 to 23 and record of works for 1958)...issued on December 20, 1961.

Volume X

- No. 1 (Article 1 to 8) issued on July 30, 1962.
No. 2 (Article 9 to 19 and record of works for 1959)...issued on December 31, 1962.

RECORDS OF WORKS
DONE AT THE SETO MARINE BIOLOGICAL LABORATORY

1960 (昭和 35 年)

- | | <i>Contribution
No. (Jap. No.)</i> |
|--|--|
| *ENDO, Yoshiyuki and Naoko UNO, [遠藤善之・宇野直子]: ウニの胞胚期に現われる細胞間の連絡構造 [Some structure connecting between cells found in the blastula stage of sea-urchin eggs.] 動物雑 [Zool. Mag.], 69 (1/2), p. 8. | |
| FUKUO, Yoshiaki: On the exchange of water and the reproductivity of a bay with special reference to Tanabe Bay (III). <i>Rec. Oceanogr. Wks. Japan</i> , N. S., Spec. No. 4, pp. 13-28. | 342 b |
| FUSE, Shin-ichiro and HARADA, Eiji: A study on the productivity of Tanabe Bay (Part III). <i>Ibid.</i> , Spec. No. 4, pp. 13-28. | 342 c |
| GAMÔ, Sigeo [蒲生重男]: On three new species of Cumacean Crustacea genus <i>Campylaspis</i> from Tanabe Bay, Kii Peninsula. <i>Publ. Seto Mar. Biol. Lab.</i> , 8 (1), pp. 153-161. | 348 |
| *—————: 相模湾及び紀州田辺湾産のクーマ目数種 (Some cumaceans from Sagami Bay and Tanabe Bay, Kii.) 動物雑 [Zool. Mag.], 69 (1/2), p. 71. | |
| HABE, Tadashige: Eleven new bivalves from Tanabe Bay, Wakayama Pref., Japan. <i>Publ. Seto Mar. Biol. Lab.</i> , 8 (2), pp. 281-288. | 354 |
| —————: Pelecypod shell remains in Tanabe Bay, Wakayama Prefecture, Kii Peninsula. <i>Rec. Oceanogr. Wks. Japan</i> , N. S., Spec. No. 4, pp. 39-51. | |
| HAMATANI, Iwao: Notes on veligers of Japanese opisthobranchs (2). <i>Publ. Seto Mar. Biol. Lab.</i> , 8 (2), pp. 281-288. | 355 |
| HATAI, Kotara and Takehiko IWAI: Some cylindrical and tabular structures from Wakayama Prefecture, Kii Peninsula. <i>Rec. Oceanogr. Wks. Japan</i> , N. S., Spec. No. 4, pp. 187-193, pl. 1. | |
| *KITAZUME, Yoshiji [北瓜由二]: ウニ卵 SH 基に対するサルチル酸ソーダの影響 [Effects of Na-salicylate upon the SH-base of sea-urchin eggs.] 動物雑 [Zool. Mag.], 69 (1/2), p. 21. | |
| *KOBAYASHI, Naomasa [小林直正]: ウニ卵の細胞分裂に及ぼすモノゲンの影響 [Effects of monogen upon the cleavage of sea-urchin eggs.] <i>Ibid.</i> , 69 (1/2), p. 7. | |

Publ. Seto Mar. Biol. Lab., XI (2), 1963.

- MIYADI, Denzaburo : Perspectives of experimental research on social interference among fishes. In BUZZATI-TRAVERSO, A. A. (ed.): *Perspectives in marine biology*, pp. 469-479. Univ. Calif. Press, Berkeley.
- *MIYADI, D. and I.YAMAZI, [宮地伝三郎・山路 勇]: 神奈川発電所取水路付着動物防除についての調査報告 (I) [Anti-fouling investigations in the water Conduit of Tanagawa Thermal Power Plant, I.] 関西電力株式会社第46回技術研究委員会資料 [Research Data of the 46th Session, Techn. Res. Comm. of Kansai Electric Power Company Ltd.], 28 pp.(Jap. 137)
- MORI, Syuiti : Influence of environmental and physiological factors on the daily rhythmic activity of a sea pen. *Cold Spring Harbor Symposia on quantitative biology*, 25, pp. 333-344.352
- *MURAMATSU, Shigeru [村松 繁]: ウニ精子の Dithiocarbamate によってたかめられた呼吸の機構 [Mechanism of respiration of sea-urchin sperms accelerated by dimethyldithiocarbamate (DMDTG).] 動物雑 [Zool. Mag.], 69 (1/2), p. 21.
- NAKAMURA, Akikazu : A study on the productivity (Part III). Tidal currents in Tanabe Bay (3rd Report). *Rec. Oceanogr. Wks. Japan*, N. S., Spec. No. 4.342 a
- *NAKAMURA, Kenji [中村健児]: ウニ未受精卵の加熱による卵割促進 II [Acceleration of cleavage of unfertilized sea-urchin eggs by warming, II.] 動物雑 [Zool. Mag.], 69 (1/2), p. 8.
- OI, Ryoji [大井良次]: 京大瀬戸臨海実験所附近に産する海浜性の蜘蛛について [Seaside spiders from the environs of Seto Marine Biological Laboratory of Kyoto University]. *Acta Arachnologica*, 17 (1), pp. 3-8, pl. 1.
- SHIINO, Sueo M. : Copepods parasitic on fishes from Seto, Province Kii, Japan. *Rep. Fac. Fish. Pref. Univ. Mie*, 3 (3), 501-517.
- TAHARA, Yutaka, Minoru OKADA and Naomasa KOBAYASHI : Further notes on the sexual dimorphisms in Japanese sea urchins. *Publ. Seto Mar. Biol. Lab.*, 8 (1), pp. 183-189, pls. 18-19.349
- TOKIOKA, Takasi [時岡 隆]: Contributions to Japanese ascidian fauna. XVI. On some ascidians from the northern waters of Japan and the neighbouring subarctic waters. *Ibid.*, 8 (1), pp. 191-204, pls. 20-25....350
- : Studies on the distribution of appendicularians and some thaliaceans of the North Pacific, with some morphological notes. *Ibid.*, 8 (2), pp. 351-443.357
- *————— : 毛顎動物・翼足目・異足目 [Chaetognatha, Pteropoda, Heteropoda.] 原色動物大図鑑 [Encyclopedia Zoologica Illustrated in Colours], III, p. 23, pl. 12; p. 124, pl. 61; p. 158, pl. 75. Hokuryūkan, Tokyo.
- *————— : 鰓尾目・有櫛動物・中生動物 [Branchyura, Ctenaria, Mesozoa]. *Ibid.*, IV, p. 126, pl. 63; p. 178, pl. 89; p. 225, pl. 112. Hokuryūkan, Tokyo.

- UMEZAKI, Isamu [梅崎 勇]: 日本産ベニモヅク属 2 種の生殖器官の発達について [On the development of reproductive organs of the genus *Helminthocladia* found in Japan.] 植物分類地理 [Acta Phytotax. Geobotanica], 18 (5/6), pp. 169-177.(Jap. 136)
- UTINOMI, Huzio [内海富士夫]: Studies on the Cirripedia Acrothoracica. II. Internal anatomy of the female of *Berndtia purpurea* Utinomi. Publ. Seto Mar. Biol. Lab., 8 (2), pp. 223-279, pls. 31-33.353
- : Echinoids from Hokkaido and the neighbouring subarctic waters. *Ibid.*, 8 (2), pp. 337-349, pls. 37-40.356
- *————: 八放サンゴ類と共生するフジツボの一種 *Acasta* [*Acasta*, a barnacle associated with the Octocorallia.] 動物雑 [Zool. Mag.], 69 (1/2), p. 70.
- *————: 海鼠綱・海胆綱・海百合綱 [Holothurioidea, Echinoidea, Crinoidea.] 原色動物大図鑑 [Encyclopedia Zoologica Illustrated in Colours], III, pp. 2-3, pls. 1-2; pp. 6-10, pls. 6-10; p. 22, pl. 11. Hokuryûkan, Tokyo.
- *————: 口脚目・海蜘蛛綱・剣尾綱・われから亜目・蔓脚亜綱・花巾着目・角さんご目・砂巾着目・海楊目・海鶏頭目・小枝目・根生目 [Pycnogonida, Xiphosura, Stomatopoda, Caprellidea, Cirripedia, Ceriantharia, Antipatharia, Zoantharia, Octocorallia]. *Ibid.*, IV, p. 2, pl. 1; p. 114, pl. 57; p. 121, pl. 60; pp. 129-133, pls. 64-66; p. 181, pl. 90; pp. 193-197, pls. 96-98. Hokuryûkan, Tokyo.
- *YAMANOUCHI, Tosihiro and Takao MATSUNO, [山内年彦・松野隆男]: ニセクロナマコに含有する holothurin 毒素の化学的性質 [Chemical character of "holothurin" a poisonous substance contained in *Holothuria leucospilota* Brandt.] 動物雑 [Zool. Mag.], 69 (1/2), p. 24.
- YAMAZI, Isamu: Automatic plankton sampler with multiple nets. Publ. Seto Mar. Biol. Lab., 8 (2), pp. 451-452, pl. 41.358

* Japanese text only.